



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/982,925	10/22/2001	Naoyuki Sawasaki	1075.1177	8458
21171 75	90 09/12/2005		EXAMINER	
STAAS & HALSEY LLP			RUDY, ANDREW J	
SUITE 700 1201 NEW YORK AVENUE, N.W.		ART UNIT	PAPER NUMBER	
WASHINGTON, DC 20005			3627	
			DATE MAIL ED. 00/12/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

)					
•	Application No.	Applicant(s)				
	09/982,925	SAWASAKI, NAOYUKI				
Office Action Summary	Examiner	Art Unit				
	Andrew Joseph Rudy	3627				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 27 Ju	<u>ıne 2005</u> .					
·- ·	action is non-final.					
3) Since this application is in condition for allowar	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under E	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4) ⊠ Claim(s) 1-23 is/are pending in the application. 4a) Of the above claim(s) 14-23 is/are withdrawn from consideration. 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-13 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. 						
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:					

U.S. Patent and Trademark Office PTOL-326 (Rev. 1-04) Application/Control Number: 09/982,925 Page 2

Art Unit: 3627

DETAILED ACTION

Response to Amendment

- 1. The reply filed on June 27, 2005 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): Applicant's response to the claim objections is noted. However, it appears Applicant sent in two separate sets of claims. Each claim set was dated October 22, 2001. One set contains the claim objections referred to from the previous Office Action. The other does not appear to have the same errors. Nonetheless, Applicant is requested to review the Application, as filed, and correct the noted claim objections. See 37 CFR 1.111. Since the abovementioned reply appears to be bona fide, applicant is given ONE (1) MONTH or THIRTY (30) DAYS from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment.
- 2. Claims 1-13 remain rejected, while claims 14-23 remain withdrawn from
- consideration.
- 3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andrew Joseph Rudy whose telephone number is 571-272-6789. The examiner can normally be reached on Monday thru Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Alexander G. Kalinowski can be reached on 571-272-6771. The fax phone number for the organization where this application or proceeding is assigned is 571-283-8300.

Art Unit: 3627

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Andrew Joseph Rudy Primary Examiner

Art Unit 3627